Introduction

Understanding the language of medicine is basic to comprehension and competency in the world of veterinary medicine. Medical terms are often heard on various television shows and movies and are seen in novels. What you may not realize is that these medical terms are variations of Greek and Latin terminology.

When we see medical terms, we should look at them differently from other words in the English language. Your task in learning medical terminology is to break these big words into smaller components, understand the meaning of those components, and then create an overall definition for the medical term.

Basic knowledge of anatomy and physiology is essential for the understanding of these medical terms. Therefore, this textbook will use various diagrams and photographs to help you to learn this new language. This book will not go into further detail other than the basics. You must learn medical terminology before focusing on more complicated curriculum.

Ultimately the use of proper medical terminology is key to a professional work environment. Proper spelling and pronunciation of medical terms is essential for communication with the professional staff as well as clients.

Anatomy of a Medical Term

There are five components to medical terms. Typically, a medical term will use two or three of these components. There is no rule that states how many parts a medical term must use. Your goal is to break down a medical term into its component parts, then define each part separately. These components were derived from Greek or Latin, so when defining these parts, we are in essence translating them to the English language. This book does not nearly cover all the medical terms that have ever existed. Instead, it will prepare you for any terms that you may encounter by teaching you how to translate their component parts.

The Root

The root is the foundation of the term. It is the basic essential part of the word that other words are derived from. Think of it as the root of a tree. Like the roots of a tree holding it in place, the root of a medical term holds the main meaning of the word.

You are probably already familiar with some roots of medical terms that you've heard from friends, family, and television shows. The following are examples of roots:

| Root | Meaning | Example of Use | |
|--------|-------------------|----------------|------------------------------|
| Cardi | = Heart | Cardiology | Study of the heart |
| Hemat | = Blood | Hematology | Study of blood |
| Dermat | = Skin | Dermatology | Study of skin |
| Gastr | = Stomach | Gastrology | Study of the stomach |
| Enter | = Small intestine | Enterology | Study of the small intestine |

The Combining Vowel

The combining vowel is a vowel that is used to link the root to its suffix. In most cases it is the letter "o." The combining vowel has no meaning and therefore will not alter the meaning of the term. The following is an example of how the combining vowel is used:



Notice that in order to attach the root "Hemat" to the suffix "-logy," we must use a combining vowel. In this case it is the letter "o."

The Combining Form

The combining form is the root plus its combining vowel. The meaning of the root is not altered by adding the combining vowel. Let's use roots from previous examples:

| Combining Form | Meaning |
|----------------|-------------------|
| Cardi/o | = Heart |
| Hemat/o | = Blood |
| Dermat/o | = Skin |
| Gastr/o | = Stomach |
| Enter/o | = Small intestine |

The Prefix

The prefix precedes the root (comes before the root) and modifies its meaning. Not all terms will have a prefix.

| Prefix | Meaning | Example of Use | |
|--------|---------|----------------|----------------------------------|
| Sub- | Below | Subgastric | Pertaining to below the stomach |
| Epi- | Above | Epigastric | Pertaining to above the stomach |
| Trans- | Across | Transgastric | Pertaining to across the stomach |

The Suffix

The suffix follows the root and modifies its meaning.

| Suffix | Meaning | Example of Use | Example of Use | |
|--------|---------------|----------------|-------------------------------------|--|
| -ic | Pertaining to | Gastric | Pertaining to the stomach | |
| -logy | Study of | Hematology | Study of blood | |
| -itis | Inflammation | Enteritis | Inflammation of the small intestine | |

TECH TIP 1.1 If you need a quick reference for word parts and definitions, check out the glossary in the back of this book.

Five Rules to Medical Terminology

There are five basic rules to medical terminology. If you can remember these rules then understanding the terms and their meanings will be much easier.

1. If a suffix begins with a vowel, drop the combining vowel. The following are two different examples to illustrate this rule. In the first example, we'll come up with the medical term that means "pertaining to the stomach." If you refer to the previous examples under their word parts you'll see that the suffix for "pertaining to" is "-ic," and the combining form for stomach is "gastr/o."

Now we need to combine these parts. Because the suffix "-ic" begins with a vowel, then we must drop the combining vowel in the combining form gastr/o. Therefore, we drop the letter "o."


$$GASTR/\bigotimes + -IC = GASTRIC$$

In the second example we look at the definition "study of the stomach."

Because the suffix does not begin with a vowel, we can keep the combining vowel.

GASTR/O + -LOGY = GASTROLOGY

2. Read the parts to define the term from back, then to the beginning, and follow through. You have probably noticed by now that when we define a medical term, we begin at the suffix, then look at the beginning of the term, and follow through. The following is an example of this rule:



Define the suffix, followed by the prefix, and then follow through.

SUBGASTRIC = PERTAINING TO BELOW THE STOMACH

Not all medical terms will use this rule; however, the rule will apply 90% of the time.


3. Keep the combining vowel between roots. Some medical terms have more than one root. When attaching roots together we leave the combining vowel between them.

GASTR/O/ENTER/O/LOGY

In this example we have combined the combining forms "gastr/o" for

- the term enterogastrology because the intestines are not before the stomach. If you're asking how I know this, don't worry, this textbook will teach you basic anatomy so you will also know how to place certain roots in anatomical order.
- Not all terms break down exactly. This rule knowing when to define a medical term literally or use a "special" definition can be the most frustrating for students. Unfortunately, this knowledge only comes with practice and memorization. You will notice that common sense will become useful with some of these terms. To illustrate this rule, we will look at the term "orthopedic."

ORTH/O/PED/IC



stomach and "enter/o" for small intestine. Because we have two roots in the term, "gastr" and "enter," we must leave the combining vowel between them. In this case it's the letter "o."

Using our previous rule of how to break down a medical term we get the following:

Definition: Study of the stomach and small intestines.

4. List the roots in anatomical order. By now you've already used this rule without even realizing it. If we look at the previous term, gastroenterology, the roots are listed in anatomical order. The stomach comes before the small intestines in the order of the organs of the gastrointestinal (GI) tract. It wouldn't make sense to have

You or a friend may have been seen by an orthopedic surgeon or orthopedic specialist. Usually people associate this term with bones and joints. However, if you break the term down literally, that doesn't make sense.

| Word Part | Meaning |
|-----------|---------------|
| Orth/o | Straight |
| Ped/o | Child |
| -ic | Pertaining to |

If using the basic rules of medical terminology to define this term, then the definition would be "pertaining to a straight child." It is for this reason that we must create special definitions for certain terms.

Study Tips

Understanding medical terminology comes down to memorization. You must find the study technique that works best for you. Memorizing the component parts and their definitions is essential to understanding and defining medical terms. Techniques that may help with memorization include:

- Writing the combining forms, suffixes, and prefixes on one side of a page and then their definitions on the other side. Repetition is the key. Also try to write out definitions first and then come up with the combining forms, prefixes, and suffixes. Learn the terms both ways.
- Make up flashcards with the component parts on one side and their meaning on the other side. By the end of this textbook, your pile of note cards will probably be more than 6 feet tall.
- Write and speak the terms over and over again.
- Learn the pronunciation of the terms. You can use the textbook website, which offers a list of the terms in this book and enables you to listen to how they are pronounced, or refer to the pronunciation sections in Appendix A. Sound out the terms.
- Conduct group studies, which work well for subjects like medical terminology. Bring a dry-erase board to the study group and write the terms or definitions on the board, one at a time. The members of the group can say their answers and how they remembered them. Hearing classmates use these terms helps you to remember them. Memorization is both a visual and audio technique.
- Relate the terms to a specific body part or body function. Whether you use this technique while thinking of your pet's body or even your own, it can be quite useful.
- Ask for help. Students don't do this enough. I realize that this subject can be overwhelming and some of you may be afraid to ask for help. The sooner

- you ask someone for help, the easier your learning experience will be. If you fail to ask then you will feel as if you're drowning halfway through the book.
- Use the review exercises at the end of each chapter.
- Make up your own terms using the component parts you've already learned.
- Create your own review exercises and mock quizzes. This can be a very useful tool when working in study groups. It's also a useful tool to prevent test anxiety.
- Make multiple copies of the workbook pages and then each day, try to fill them in
- If you aren't already working in a practice or shelter, try volunteering or working part-time at one. Hearing and seeing these terms used on a consistent basis can help with memorization.

Building the Terms

Combining Forms

For combining forms with multiple meanings, the context in which the term is used determines which definition to choose (Table 1.1).

Prefixes

Prefixes alter the meaning of the term. For prefixes with multiple meanings, the combining form the prefix is attached to determines which meaning to use (Table 1.2).

Suffixes

Suffixes also alter the meaning of the term. For suffixes with multiple meanings, the combining form the suffix is attached to determine which meaning to use (Table 1.3).

 Table 1.1
 Combining forms.

| Combining Forms | Definition | |
|---------------------------------------|-----------------------|--|
| Arthr/o | Joint | |
| Bi/o | Life | |
| Carcin/o | Cancer | |
| Cardi/o | Heart | |
| Cephal/o | Head | |
| Cis/o | To cut | |
| Col/o; Colon/o Large intestine (color | | |
| Cyst/o | Urinary bladder; cyst | |
| Cyt/o | Cell | |
| Derm/o | Skin | |
| Dermat/o | Skin | |
| Electr/o | Electricity | |
| Encephal/o | Brain | |
| Enter/o | Small intestine | |
| Erythr/o | Red | |
| Gastr/o | Stomach | |
| Glyc/o | Sugar | |
| Gnos/o | Knowledge | |
| Hem/o | Blood | |

| Combining Forms | Definition |
|-----------------|----------------------|
| Hemat/o | Blood |
| Hepat/o | Liver |
| Hist/o | Tissue |
| latr/o | Treatment |
| Leuk/o | White |
| Nephr/o | Kidney |
| Neur/o | Nerve |
| Ophthalm/o | Eye |
| Opt/o | Eye; vision |
| Oste/o | Bone |
| Path/o | Disease |
| Radi/o | X-rays |
| Ren/o | Kidney |
| Rhin/o | Nose |
| Sarc/o | Connective tissue |
| Sect/o | To cut |
| Thromb/o | Clot; clotting |
| Ur/o | Urine; urinary tract |
| | |

TECH TIP 1.2 Do you know when to use Ren/o vs. Nephr/o? Ren/o may only be used with the suffix -al. Nephr/o can be used with a variety of suffixes to describe a condition (usually abnormal) of the kidney.

Table 1.2Prefixes.

| Prefix | Definition | |
|-------------------------|---|--|
| a-, an- | no; not; without | |
| brachy- | short | |
| dia- | through; complete | |
| dolicho- | long | |
| endo- | in; within | |
| epi- above; upon; on | | |
| ex-, exo- | exo- out; away from | |
| extra- | outside | |
| hyper- above; excessive | | |
| hypo- | deficient; below; under; less than normal | |

| Prefix | Definition | |
|--------|------------------------|--|
| in- | in; into; not | |
| intra- | within; into | |
| meso- | middle | |
| pro- | before; forward | |
| re- | back; again; backward | |
| retro- | behind; back; backward | |
| sub- | under; below | |
| trans- | across; through | |
| | | |

Table 1.3 Suffixes.

| Suffix | Definition | |
|------------------------------|--|--|
| -ac, -al, -ic, -ical | pertaining to | |
| -algia | pain | |
| -centesis | surgical puncture to remove fluid or gas | |
| -cyte | cell | |
| -cytosis | increase in cell number | |
| -drome | to run | |
| -ectomy | removal; excision; resection | |
| -emia | blood condition | |
| -emic | pertaining to a blood condition | |
| -genic | produced by or in | |
| -gram | record | |
| -graph | instrument for recording | |
| -graphy process of recording | | |

| Suffix | Definition | |
|--------|-----------------------------------|--|
| -ion | process | |
| -ist | specialist | |
| -itis | inflammation | |
| -logy | study of | |
| -oma | tumor; mass; fluid collection | |
| -opsy | view of | |
| -osis | abnormal condition | |
| -pathy | disease condition; emotion | |
| -scope | instrument for visual examination | |
| -scopy | visual examination | |
| -sis | state of; condition | |
| -tomy | incision; process of cutting into | |

TECH TIP 1.3 Be Careful with "-genic"!

Normally this suffix is defined as "produced by" or "produced in." However, when attached to the combining forms Carcin/o and Path/o, rule 5 comes into play. We define -genic as "produces" or "producing." Now it's time to put these word parts together. If you memorize the meaning of the combining forms, prefixes, and suffixes, then this will get easier each time. Remember your five basic rules to medical terminology when building and defining these terms.

| | Parts | | Medical Tern | n Definition |
|----------|-------------|---------|------------------|----------------------------|
| Arthr/o | + -ectomy | | = Arthrectomy | : |
| Arthr/o | + -itis | | = Arthritis | : |
| Arthr/o | + -centesis | | = Arthrocentesis | : |
| Arthr/o | + -logy | | = Arthrology | : |
| Arthr/o | + -pathy | | = Arthropathy | : |
| Arthr/o | + -scope | | = Arthroscope | : |
| Arthr/o | + -scopy | | = Arthroscopy | : |
| Arthr/o | + -osis | | = Arthrosis | : |
| Arthr/o | + -tomy | | = Arthrotomy | : |
| | | | N | otice that the combining |
| | | | | vowel was dropped with |
| | | | th | e suffix "-osis," but kept |
| | | | | with the suffix "-tomy." |
| Bi/o | + -logy | + -ical | = Biological | : |
| Bi/o | + -logy | + -ist | = Biologist | : |
| Bi/o | + -logy | | = Biology | : |
| Carcin/o | + -genic | | = Carcinogenic | : |
| Cardi/o | + -ac | | = Cardiac | : |
| Cardi/o | + -logy | | = Cardiology | : |
| Cardi/o | + -pathy | | = Cardiopathy | : |
| intra- | + Cardi/o | + -ac | = Intracardiac | : |
| retro- | + Cardi/o | + -ac | = Retrocardiac | : |
| Cephal/o | + -ic | | = Cephalic | : |
| ex- | + Cis/o | + -ion | = Excision | : |
| in- | + Cis/o | + -ion | = Incision | : |
| Col/o | + -ectomy | | = Colectomy | : |
| Colon/o | + -ectomy | | = Colonectomy | : |
| Col/o | + -itis | | = Colitis | : |
| Colon/o | + -itis | | = Colonitis | : |
| Colon/o | + -ic | | = Colonic | : |
| Colon/o | + -pathy | | = Colonopathy | : |
| Colon/o | + -scopy | | = Colonoscopy | : |
| Cyst/o | + -algia | | = Cystalgia | : |
| Cyst/o | + -ectomy | | = Cystectomy | : |
| Cyst/o | + -itis | | = Cystitis | : |
| Cyst/o | + -centesis | | = Cystocentesis | : |
| • | | | (Figure 1.1) | |

Figure 1.1 Cystocentesis on a cat. Source: Courtesy of Greg Martinez DVM; http://www.youtube.com/drgregdvm.

| Cyst/o | + -gram | | = Cystogram | • |
|--------------------|--------------------|-----------|---------------------------------------|----------------------|
| Cyst/o | + -gram + -tomy | | = Cystogram = Cystotomy | |
| Cyst/o | + -logy | | = Cytology | : |
| • | 0, | + -ical | | · |
| Cyt/o Dermat/o | + -logy + -itis | + -1Ca1 | = Cytological = Dermatitis | · |
| | | | | : |
| Dermat/o | + -logy | | = Dermatology | : |
| Derm/o | + -al | | = Dermal | : |
| hypo- | + Derm/o | + -ic | = Hypodermic | : |
| intra- | + Derm/o | + -al | = Intradermal | : |
| Electr/o | + Cardi/o | + -gram | = Electrocardiogram | : |
| Electr/o | + Cardi/o | + -graphy | Electrocardiography | : |
| Electr/o | + Encephal/o | + -gram | = Electroencephalogram | : |
| Encephal/o | + -ic | | = Encephalic | : |
| Encephal/o | + -itis | | = Encephalitis | : |
| Encephal/o | + -gram | | = Encephalogram | : |
| Encephal/o | + -graphy | | = Encephalography | : |
| Endo- | + -scope | | = Endoscope | : |
| Endo- | + -scopy | | = Endoscopy | : |
| | 17 | | (Figure 1.2) | |
| Enter/o | + -ic | | = Enteric | : |
| Enter/o | + -itis | | = Enteritis | : |
| Enter/o | + -logy | | = Enterology | ; |
| Enter/o | + -pathy | | = Enteropathy | : |
| Erythr/o | + -cyte | | = Erythrocyte | • |
| Erythr/o | + -cytosis | | = Erythrocytosis | • |
| Er y ciri, o | . 6,0000 | | | is condition is also |
| | | | | n as polycythemia. |
| Gastr/o | + -ectomy | | = Gastrectomy | i is porycythemia. |
| Gastr/o Gastr/o | + -ic | | = Gastrectomy | : |
| Gastr/o Gastr/o | + -itis | | = Gastritis | • |
| Gastr/o | | | = Gastritis = Gastrotomy | · |
| Gasti/O | + -tomy | | - Gastrotomy | • |

etbooks.ir




Figure 1.2 Endoscopy. (A) Veterinarian and technician with endoscope. (B) Image from the endoscope on the screen. (C) Foreign body located with endoscope. Source: Courtesy of Kari Walker, BS, CVT, VTS (SAIM).

| Gastr/o epi- hypo- | + Enter/o + Gastr/o + Gastr/o | + -itis + -ic + -ic | = Gastroenteritis = Epigastric = Hypogastric | : : : |
|--------------------------|-------------------------------------|---------------------------|--|-------------|
| Glyc/o | + -emic | | = Glycemic | : |
| hyper | + Glyc/o | + -emia | = Hyperglycemia | : |
| hypo- | + Glyc/o | + -emia | = Hypoglycemia | : |
| Hemat/o | + -logy | | = Hematology | : |
| Hemat/o | + -oma | | = Hematoma | . |
| Hepat/o | + -ic | | = Hepatic | ! |
| Hepat/o | + -itis | | = Hepatitis | : |
| Hepat/o | + -oma | | = Hepatoma | : |
| sub- | + Hepat/o | + -ic | = Subhepatic | : |

| trans | . Hanatla | + -ic | = Transhepatic | |
|------------------|----------------------|--------------|--------------------|---------------------|
| trans- Hist/o | + Hepat/o + -logy | + -IC | = Histology | · |
| Hist/o | | . : | ٥. | · |
| | + -logy | + -1st | = Histologist | : |
| Hist/o | + Path/o | + | = Histopathologist | : |
| T. 4 / | · • . | -logy + -ist | T | |
| Iatr/o | + -genic | | = Iatrogenic | : |
| Leuk/o | + -cyte | | = Leukocyte | · |
| Leuk/o | + -cytosis | | = Leukocytosis | • |
| Nephr/o | + -algia | | = Nephralgia | : |
| Nephr/o | + -ectomy | | = Nephrectomy | : |
| Nephr/o | + -itis | | = Nephritis | : |
| Nephr/o | + -osis | | = Nephrosis | : |
| Nephr/o | + -gram | | = Nephrogram | : |
| Nephr/o | + -oma | | = Nephroma | : |
| Nephr/o | + -logy | | = Nephrology | : |
| Neur/o | + -al | | = Neural | : |
| Neur/o | + -algia | | = Neuralgia | : |
| Neur/o | + -ectomy | | = Neurectomy | : |
| Neur/o | + -itis | | = Neuritis | : |
| Neur/o | + -logy | | = Neurology | : |
| Ophthalm/o | + -ic | | = Ophthalmic | : |
| Ophthalm/o | + -logy | + -ist | = Ophthalmologist | : |
| Ophthalm/o | + -logy | | = Ophthalmology | • |
| Ophthalm/o | + -scope | | = Ophthalmoscope | • |
| o primining o | . зазра | | (Figure 1.3) | · |
| Opt/o | + | -ic | = Optic | |
| Opt/o | + | -ical | = Optical | • |
| Oste/o | + | -ectomy | = Ostectomy | • |
| Oste/o | + | -itis | = Osteitis | • |
| Oste/o | + Arthr/o | + -itis | = Osteoarthritis | • |
| Oste/o | | -genic | = Osteogenic | • |
| Oste/o | + | • | | · |
| | + | -logy | = Osteology | · |
| Oste/o | + | -tomy | = Osteotomy | ; |
| Path/o | + | -genic | = Pathogenic | : |
| Path/o | + | -logy | = Pathology | · |
| Path/o | + -logy | + -ist | = Pathologist | : |
| Radi/o | + -graph | | = Radiograph | : |
| | | | (Figure 1.4) | |
| Radi/o | + -graphy | | = Radiography | : |
| Radi/o | + -logy | | = Radiology | : |
| Ren/o | + -al | | = Renal | : |
| re- | + Sect/o | + -ion | = Resection | : |
| Rhin/o | + -itis | | = Rhinitis | : |
| Thromb/o | + -cyte | | = Thrombocyte | : |
| | | | Also k | nown as a platelet. |
| Thromb/o | + -cytosis | | = Thrombocytosis | : |
| Ur/o | + -logy | | = Urology | : |
| | * * | | - · | |







Figure 1.4 Radiograph of a cat.

Special Terms

The following medical terms do not break down correctly. Therefore, we must create new and more specific definitions.

Anemia Decrease in red blood cells and/or hemoglobin.

Biopsy Removal of tissue for microscopic examination.

Brachycephalic Pertaining to a short, wide head (i.e., Persians, Pugs, Boston

Terriers).

Dolichocephalic Pertaining to a narrow, long head (i.e., Greyhounds, Collies). **Mesocephalic** Pertaining to an average width head (i.e., Golden Retrievers).

Carcinoma Malignant tumor arising from epithelial tissue.

Sarcoma Malignant tumor arising from connective tissue

Prodrome Symptoms run together before the onset of a more specific

disease.

Syndrome Symptoms that run together and point to a specific disease.

Description of the patient such as age, breed, weight, and sex.

Leukemia Increase in the number of cancerous white blood cells.

TECH TIP 1.4 Various breeds have a variety of skull shapes. Brachycephalics are of greatest concern because they are predisposed to various medical conditions. These animals are an anesthetic risk so additional precautions must be taken with surgery. See Figure 1.5.

TECH TIP 1.5 Leukocytosis vs. Leukemia

At first glance the definitions for these terms are very similar. However, there is one word that makes a huge difference: cancerous. Leukocytosis is simply an increase in the number of white blood cells, whereas leukemia is an increase in the number of cancerous white blood cells.

Figure 1.5 (A) A Pug is an example of a brachycephalic breed. Source: Courtesy of Lanie Maes. (B) Persians are brachycephalics. Source: Courtesy of Lauren Minner, AAS, LVT. (C) Greyhounds are dolichocephalics. Source: Courtesy of shutterstock/Jagodka. (D) Golden Retrievers are mesocephalics. Source: Courtesy of Judy Daniels.

| Diagnosis | Estimation of the cause | Aggressive | Eager to fight (Figure 1.6A, B). |
|-----------|--------------------------------|------------|----------------------------------|
| | of disease. | Alert | Energetic, quick, and |
| Prognosis | Estimation of disease outcome. | | responsive (Figure 1.6C). |
| Canine | Dog. | Docile | Relaxed, easy to handle |
| Feline | Cat | | (Figure 1.6D). |
| Equine | Horse. | Feral | Wild (Figure 1.6E). |
| Bovine | Cattle. | Submissive | Willing to submit |
| Ovine | Sheep. | | (Figure 1.6F). |
| Caprine | Goat. | Anxious | Feeling of uneasiness or |
| Porcine | Pig. | | apprehension (Figure 1.6G). |




Figure 1.6 Types of behavior. (A) Aggressive cat. Source: Courtesy of shutterstock/Kuzmin Andrey. (B) Aggressive dog. Source: Courtesy of shutterstock/Antonova Victoria. (C) Alert cat. Source: Courtesy of shutterstock/Adisa. (D) Docile cat. Source: Courtesy of shutterstock/Jennifer Nickert. (E) Feral cat. Source: Courtesy of shutterstock/Andre Blais. (F) Submissive dog. Source: Courtesy of shutterstock/cynoclub. (G) Anxious dog. Source: Courtesy of Amy Johnson BS, LVT, RLATG.

Chapter Abbreviations

At the end of each chapter there is a set of abbreviations that are commonly used in

veterinary medicine. These abbreviations can be used to communicate with other professionals on cage cards, files, appointment books, and prescription labels (see Table 1.4).

Table 1.4 Abbreviations.

| Abbreviation | Definition |
|--------------|--|
| BAR | Bright, alert, responsive |
| BARH | Bright, alert, responsive, hydrated |
| BD/LD | Big dog/little dog |
| QAR | Quiet, alert, responsive |
| CCU | Critical care unit |
| ICU | Intensive care unit |
| CWPM | Continue with previous medication |
| DLH | Domestic long hair (a mixed-breed cat with long hair) (see Figure 1.7) |
| DMH | Domestic medium hair (a mixed-breed cat with medium hair) (see Figure 1.7) |
| DSH | Domestic short hair (a mixed-breed cat with short hair) (see Figure 1.7) |
| DOA | Dead on arrival |
| DOB | Date of birth |
| ER | Emergency room |
| OR | Operating room |
| GROS | Gross review of systems |
| K-9 | Canine |
| ISO | Isolation unit |
| NAF | No abnormalities found |
| NSF | No significant findings |
| P/E | Physical examination |
| PPH | Past pertinent history |
| R/O | Rule out |

(Continued)

 Table 1.4 (Continued)

| Abbreviation | Definition |
|--------------|--|
| SOAP | Subjective, objective, assessment, plan (see explanation in following section) |
| TPR(W) | Temperature, pulse, respiration, (weight) |
| WNL | Within normal limits |
| °C | Degree Celsius |
| °F | Degree Fahrenheit |




Figure 1.7 (A) Domestic long hair (DLH). Source: Courtesy of Alisha Coombe. (B) Domestic medium hair (DMH). Source: Courtesy of Danielle Ritter, CVT. (C) Domestic short hair (DSH). Source: Courtesy of Holly Jensen, CVT.

SOAP

When the veterinary technician goes into the exam room to perform the TPR(W) (Figure 1.8) and to speak with the owner, the tech begins to fill out a patient record (Figure 1.9). As you can see, the tech recorded the patient's TPR(W) and began a SOAP. There are parts of the SOAP that can be filled out by the technician and other parts to be filled out by the veterinarian. The type of information is as follows:



Figure 1.8 Technician performing P/E and TPR. Source: Courtesy of J.M. Gunter, CVT.

Patient Daily Record

| Patient Name: "Molly" Jones | Date: 9 9 10 |
|--------------------------------|--------------------------|
| Problems | Diagnostic |
| 1 Salivary Cyst abscess | CBC/BUND |
| 2 | |
| 3 | |
| 4 | |
| Treat | tment |
| 1 1.0cc B, IM SID | |
| 2 500mg Tetracycline PO | 710 |
| 3 | |
| 4 | |
| 5 | |
| Comr | nents |
| T: /04.5 P: /20 R: 36 | S: depressed responsive |
| WT: &7. 2 | . , , |
| | 0:1temp |
| 6.45 A: TPR'd; lettrargic; did | |
| not eat a.m. food : no wrine | A: Salivary Cyst abscess |
| or feces in cage | |
| | P: 1.0 CC Bp IM SID |
| 7:30 A: out to grass; urinated | 500mg tetracycline P.O. |
| 4 defecated; fed ild | CBC/BUN |
| | temp gid |
| 7:55 A. Gave meds | hand feed + water |
| | |
| | example of SOAP |
| | , |
| | |

Figure 1.9 Example of using SOAP in a patient file.

S (Subjective): How the animal appears; opinions.

For example, is he/she depressed, BAR, not eating well.

O (Objective): Facts. Things that can be reproduced or measured.

For example, an increased temperature or white blood cell count.

A (Assessment): Initial diagnosis. This aspect is for the doctor only.

Technicians do not diagnose so they will leave this section to the

veterinarian.

P (Plan): This is the technician's focus. Lab tests, treatments, and radiographs

are ordered. Surgery is recommended. It is the technician's job to

carry out these tests.

Case Study: Define the medical terms and abbreviations in bold print

Maverick, a 12-year-old **K-9**, comes in to your clinic for a yearly exam. His owners have just moved from Texas to your state. As the veterinary technician, you are the first into the exam room to perform the **TPR(W)** and to speak with the owner about their visit today. Maverick appears **BAR** and his TPR is normal. His **DOB** is May 5, 2000. The owner, Mrs. Nethery, mentions that Maverick was seen by a different veterinarian a few months ago because he was limping. After obtaining a **PPH**, the owner gives you the copies of Maverick's records and **radiographs** from the previous clinic.

According to Maverick's records, he was previously **diagnosed** with **cardiopathy**, **arthritis**, and **hepatitis**. The veterinarian, Dr. Rojas, enters the exam room to perform the **P/E**. He immediately notices that Maverick has **dermatitis** on his abdomen. Dr. Rojas decides to perform a **cytology** on the affected area of skin. The skin scrape shows **NSF**. While speaking to Mrs. Nethery, the doctor feels a mass in the **hypogastric** region. After discussing the options, Mrs. Nethery agrees to let Dr. Rojas obtain a **gastric biopsy** the following day.

The following day, Maverick checks in for surgery and has a pre-surgical **hematology** panel done. His **erythrocytes, leukocytes, and thrombocytes** are **WNL**. **Hepatic** enzymes are slightly elevated, but Dr. Rojas isn't too concerned about it. An **electrocardiogram** is also done because Maverick was previously diagnosed with a cardiopathy. The results were unremarkable. He's taken to the **OR** where an **incision** is made into the abdomen and the mass is **excised**. Dr. Rojas asks you to send the mass to a reference lab for a biopsy. Maverick is sent to the **ICU** for recovery after surgery because of his age. The recovery goes well and Maverick is sent home. You tell Mrs. Nethery that the biopsy results will be back in three to five working days.

After a week has passed, Mrs. Nethery has returned with Maverick for a post-surgical exam. Maverick's incision is healing nicely. Dr. Rojas explains that the mass was a **carcinoma**. His **prognosis** is guarded.

| Exer | Exercises | | | |
|----------|--|------------------------|--|--|
| 1-A: | Match the combining forms with | their meaning. | | |
| 1. | Heart | A. Arthr/o | | |
| 2. | Small intestine | B. Cardi/o | | |
| 3. | Brain | C. Col/o | | |
| 4. | Liver | D. Cyst/o | | |
| 5. | Electricity | E. Dermat/o | | |
| 6. | Urinary bladder | F. Electr/o | | |
| 7. | Stomach | G. Encephal/o | | |
| 8. | Sugar | H. Enter/o | | |
| 9. | Joint | I. Gastr/o | | |
| 10. | Blood | J. Glyc/o | | |
| 11. | Skin | K. Hemat/o | | |
| 12. | Large intestine | L. Hepat/o | | |
| 1-B: | Write the correct medical term in | the blank. | | |
| 1 | . Conder of a | done. | | |
| 1. 2. | : Study of t : Mass or c | vallaction of blood | | |
| 3. | : Inflamma | tion of the brain | | |
| 4. | · Disease of | andition of the heart | | |
| 5. | : Disease condition of the heart: Tumor on the liver | | | |
| 6. | : Inflamma | tion of the liver | | |
| 7. | : Incision in | nto bone | | |
| 8. | : Increase i | n platelets | | |
| 9. | : Specialist | | | |
| 10. | : Abnorma | | | |
| 11. | : Instrumer | | | |
| 12. | : Record of | | | |
| 13. | : Pertaining to nerves | | | |
| 14. | : Red blood cell | | | |
| 15. | : Pertaining | g to below the skin | | |
| 16. | : Pertaining | g to below the liver | | |
| 17. | : Blood cor | | | |
| 18. | : Estimation of the cause of disease | | | |
| 19. | : Inflamma | tion of skin | | |
| 20. | : Pertaining | g to outside the liver | | |
| 1-C: | Complete the definition for the fo | | | |
| 1. | Arthralgia: Pain in the | | | |
| 2. | Neuritis: of 1 | nerves. | | |
| 3. | Arthrocentesis: | from a joint. | | |
| 4. | Rhinitis: Inflammation of the | | | |
| 5. | Cephalic: Pertaining to the | | | |

| 6. | Anemic: Pertaining to a decrease i | in | and/or |
|----------|--|-----|-------------|
| 8. 9. | Ophthalmology: Study of the Colectomy: Removal of the Incision: Process of Nephrectomy: Removal of the | | |
| 1-D: | Define the following suffixes. | | |
| 1. | : -itis | 7. | : -ist |
| | : -ectomy | | : -graph |
| 3. | : -tomy | 9. | : -pathy |
| | : -gram | 10. | : -algia |
| 5. | : -scopy | 11. | : -centesis |
| 6. | : -osis | 12. | : -emia |
| | | | |

1-E: Circle the correct answer.

- 1. A dog named Brutus presents to your clinic with an abnormal heart rhythm. After further testing it was recommended that Brutus be referred to a:
 - a. Pathologist
 - b. Histopathologist
 - c. Ophthalmologist
 - d. Cardiologist
- 2. Mrs. Potter calls your clinic worried about her cat, Harry. She says that Harry has had blood in his urine. She makes an appointment for Harry to come in for an exam and to have his urine checked. When Harry comes for his appointment, the doctor asks you to obtain urine from Harry. What procedure would you perform?
 - a. Arthrocentesis
 - b. Cystocentesis
 - c. Osteocentesis
 - d. Gastrocentesis
- 3. A horse named Desperado was rushed to your clinic unable to put weight on one of his legs. Apparently fell during a race. The veterinarian suspects a fracture (broken bone). What would confirm this?
 - a. Encephalograph
 - b. Radiograph
 - c. Nephrogram
 - d. Cardiogram
- 4. Mr. Manning has just rushed into your clinic with his dog, Peyton. Peyton hasn't felt like playing with his ball like he usually does. Upon examination, you notice that he has pale gums. A blood test reveals that his erythrocyte count is decreased. Peyton has:
 - a. Leukemia
 - b. Thrombocytosis
 - c. Leukocytosis
 - d. Anemia

- 5. A boxer named Rosie presents to your clinic with a mass on her shoulder. The owner is worried that it might be cancerous. What procedure would be performed to see if the cells in the mass are cancerous?
 - a. Electrocardiogram
 - b. Biopsy
 - c. Cystocentesis
 - d. Osteocentesis

1-F: Define the following abbreviations.

| 1. | : BAR | 7 | : P/E |
|----|----------|-----|-------|
| 2. | : OR | 8 | : R/O |
| 3. | : DSH | 9 | : ISO |
| 4. | : ICU | 10 | : NSF |
| 5. | : TPR(W) | 11 | : PPH |
| 6. | : DOB | 12. | : WNL |

1-G: Define the following prefixes.

| 1. | : intra- | 7. | : pro- |
|----|----------|-----|-----------|
| 2. | : extra- | 8. | : re- |
| 3. | : trans- | 9. | : endo- |
| 4. | : epi- | 10. | : retro- |
| 5. | : sub- | 11. | : a-, an- |
| 6. | : hyper- | 12. | : ex- |

1-H: Define the following medical terms.

| 1. | : Hyperglycemia | 8. | : Biology |
|------------|--------------------|-----|------------------|
| 2. | : Prognosis | 9. | : Brachycephalic |
| 3. | : Incision | 10. | : Iatrogenic |
| 4. | : Cytology | 11. | : Optic |
| <i>5</i> . | : Carcinoma | 12. | : Osteitis |
| 6. | : Thrombocytosis | 13. | : Rhinitis |
| 7. | : Gastroenterology | 14. | : Urology |
| | | | |

1-I: Circle the correct terms in parentheses.

- 1. A sterile urine sample must be obtained from a dog so a (cystocentesis, cystotomy, cystectomy) will be performed.
- 2. A (erythrocyte, leukocyte, thrombocyte) count is decreased in a cat confirming anemia.
- 3. A dog has an infection due to an old bite wound. An increase in white blood cells was noted on labwork. This dog has (erythrocytosis, leukocytosis, thrombocytosis).
- 4. A bovine stool sample is brought to the clinic because the owner has noticed diarrhea. A possible cause would be (nephritis, enteritis, neuritis).

While performing a blood draw on a horse, a hematoma forms just under the skin. This is considered (carcinogenic, pathogenic, iatrogenic).

- An owner has recently adopted a new cat. The owner has noticed a skin rash on the cat so the cat is referred to a specialist in (hematology, nephrology, cardiology, dermatology).
- Charlie, an old Schnauzer, has cataracts in his eyes and the owner would like to pursue treatment options. The owner is referred to a/an (cardiologist, pathologist, ophthalmologist).
- A biopsy is performed to determine if a mass is cancerous. The sample is sent for (histology, neurology, urology).
- A horse presents with a laceration on its left hind leg. The horse is QAR on P/E, but has an elevated pulse. What part of the SOAP would the elevated pulse be noted? (Subjective, Objective, Assessment, Plan). What portion of the SOAP would QAR be noted? (Subjective, Objective, Assessment, Plan).

Answers can be found starting on page 675.

Review Tables

Fill in the tables and refer to Tables 1.1–1.4 for answers.

Table 1.5

| Combining Forms | Definition | Combining Forms | Definition |
|-----------------|------------|-----------------|------------|
| Arthr/o | | Hem/o | |
| Bi/o | | Hemat/o | |
| Brachy/o | | Hepat/o | |
| Carcin/o | | Hist/o | |
| Cardi/o | | latr/o | |
| Cephal/o | | Leuk/o | |
| Cis/o | | Nephr/o | |
| Col/o; colon/o | | Neur/o | |
| Cyst/o | | Ophthalm/o | |
| Cyt/o | | Optic/o | |
| Derm/o | | Oste/o | |

(Continued)

 Table 1.5
 (Continued)

| Combining Forms | Definition | Combining Forms | Definition |
|-----------------|------------|-----------------|------------|
| Dermat/o | | Path/o | |
| Electr/o | | Radi/o | |
| Encephal/o | | Ren/o | |
| Enter/o | | Rhin/o | |
| Erythr/o | | Sarc/o | |
| Gastr/o | | Sect/o | |
| Glyc/o | | Thromb/o | |
| Gnos/o | | Ur/o | |

Table 1.6

| Prefix | Definition | Prefix | Definition |
|-----------|------------|--------|------------|
| a-, an- | | in- | |
| brachy- | | intra- | |
| dolicho- | | meso- | |
| endo- | | pro- | |
| epi- | | re- | |
| ex-, exo- | | retro- | |
| extra- | | sub- | |
| hyper- | | trans- | |
| hypo- | | | |

Table 1.7

| Suffix | Definition | Suffix | Definition |
|------------|------------|--------|------------|
| -ac, -al | | -ion | |
| -algia | | -ist | |
| -centesis | | -itis | |
| -cytosis | | -logy | |
| -ectomy | | -oma | |
| -emia | | -opsy | |
| -emic | | -osis | |
| -genic | | -pathy | |
| -gram | | -scope | |
| -graph | | -scopy | |
| -graphy | | -sis | |
| -ic, -ical | | -tomy | |

Table 1.8

| Abbreviation | Definition |
|--------------|------------|
| BAR | |
| BD/LD | |
| CCU | |
| ICU | |
| CWPM | |
| DLH | |
| DMH | |
| DSH | |
| DOA | |
| DOB | |
| ER | |
| OR | |
| GROS | |

 Table 1.8 (Continued)

| Abbreviation | Definition |
|--------------|------------|
| K-9 | |
| ISO | |
| NAF | |
| NSF | |
| P/E | |
| PPH | |
| R/O | |
| SOAP | |
| TPR(W) | |
| WNL | |
| °C | |
| °F | |



Go to http://www.wiley.com/go/taibo/veterinary to find additional learning materials for this chapter:

- A crossword puzzle
- Flashcards
- Audio clips to show how to pronounce terms
- Case studies
- Review questions
- The figures from the chapter in PowerPoint
- Word Search Puzzle